


Technical Support Manual



25-20-66

Models

NTC7050BFG1 / GNL050N12G1
NTC7075BFG1 / GNL075N12G1
NTC7100BHG1 / GNL100N16G1
NTC7125BKG1 / GNL125N20G1

NDC7050BFG1 / GDL050N12G1
NDC7075BFG1 / GDL075N12G1
NDC7100BHG1 / GDL100N16G1
NDC7125BKG1 / GDL125N20G1

Manufactured by:
International Comfort Products Corporation (USA)
Lewisburg, TN USA 37091

DIRECT VENT GAS FURNACE



Save This Manual For Future Reference

Manufacturers Number (Mfr No -See Rating Plate) ALL Models		
Specifications		
General		
Gas Type	Nat	LP
Transformer Size (VA)	40	40
T'stat Heat Anticipator	.30	.30
Gas & Ignition		
Gas Valve	HW SV9504	HW SV9504
Regulation Type	SNAP	SNAP
Manifold Press. (" WC)	3.5	10.0
Pilot Orifice Size	.018	.011
Ignition Type/Series	HW HSP	HW HSP
Combustion		
Flue Outlet Size (Inches)	3	3
Std. Outlet Temp (°F)	<480	<480
Limits & Controls		
Fan Control (Type)	HW ST9120	HW ST9120
Fan Control On	30/60	30/60
(Timed-secs) Off	60,100,140,180	60,100,140,180
Gas Conversion Kits		
Conversion Kit Natural to LP *1160991		
Conversion Kit LP to Nat *1009510		
Conversion Kit Nat High Altitude *1160993		
Conversion Kit LP High Altitude *1160992		
*Must be ordered from Service Parts		

Specifications									
	NTC7050BFG GNL050N12G			NTC7075BFG GNL075N12G			NTC7100BHG GNL100N16G		
General									
Input (Btuh)	50,000			75,000			100,000		
Output (Btuh)	40,000			60,000			80,000		
Temp. Rise (°F)	35-65			35-65			35-65		
Electrical (Volts/Hz/FLA)	115/60/5.3			115/60/7.5			115/60/9.2		
Gas & Ignition									
Gas Type	Nat	LP		Nat	LP		Nat	LP	
Std. Main Orifices (No/Size)	2/#42	2/#54		3/#42	3/#54		4/#42	4/#54	
Combustion	@	@		@	@		@	@	
Std. Pressure (" of WC)	Blower	Burner Box	Differential	Blower	Burner Box	Differential	Blower	Burner Box	Differential
5' No Elbows	0.78	0.06	0.72	0.88	0.10	0.78	0.92	0.20	0.72
40' +5-90° Elbows	0.74	0.12	0.62	0.76	0.14	0.62	0.88	0.24	0.64
Limits & Controls									
Thermal Sensor (°F)	250			200			200		
Limit Control Setting (°F)	160			180			180		
Auxiliary Limit (°F)	130			130			130		
Std. Pressure Sw. (Part No)	1010644			1010645			1010645		
Press (Close)	0.39			0.47			0.47		
Press (Open)	0.29			0.37			0.37		
High Alt. Restrictor (Part No.)				1010644			1010644		
Press Differential (Close)	Not Required			0.39			0.39		
Press Differential (Open)				0.29			0.29		
Blower Data									
Type & Size	10-8			10-8			10-10		
Motor Amps/Rpm	4.6/1050			4.6/1050			8.5/1050		
Motor Type/H.p.	PSC/1/3			PSC/1/3			PSC/1/2		
Cap. Mfd/Volts	5/370			5/370			10/370		
Filter Type	Washable			Washable			Washable		
Filter Size (")	14x25x1			16x25x1			16x25x1		
Min. Cool Cap. (Tons)	1.5			1.5			2		
Max. Cool Cap. (Tons)	3			3			4		

Specifications												
	NTC7125BKG GNL125N20G			NDC7050BFG GDL050N12G			NDC7075BFG GDL075N12G					
General												
Input (Btuh)	125,000			50,000			75,000					
Output (Btuh)	100,000			40,000			60,000					
Temp. Rise (°F)	45-75			35-65			35-65					
Electrical (Volts/Hz/FLA)	115/60/10.5			115/60/5.3			115/60/7.5					
Gas & Ignition												
Gas Type	Nat	LP		Nat	LP		Nat	LP				
Std. Main Orifices (No/Size)	5/#42	5/#54		2/#42	2/#54		3/#42	3/#54				
Combustion	@	@		@	@		@	@				
Std. Pressure (" of WC)	Blower	Burner Box	Differential	Blower	Burner Box	Differential	Blower	Burner Box	Differential			
5' No Elbows	0.99	0.16	0.88	0.90	0.02	0.92	0.87	0.14	0.73			
40' +5-90° Elbows	0.89	0.22	0.66	0.85	0.17	0.65	0.75	0.16	0.59			
Limits & Controls												
Thermal Sensor (°F)	250			250			200					
Limit Control Setting (°F)	165			160			150					
Auxiliary Limit (°F)	130			110			110					
Std. Pressure Sw. (Part No)	1010646			1010644			1010645					
Press (Close)	0.55			0.39			0.47					
Press (Open)	0.45			0.29			0.37					
High Alt. Restrictor (Part No.)	1010645			Not Required			1010644					
Press Differential (Close)	0.47						0.39					
Press Differential (Open)	0.37						0.29					
Blower Data												
Type & Size	11.8-10.6			10-8			10-8					
Motor Amps/Rpm	9.8/900			4.6/1050			6.8/1050					
Motor Type/H.p.	PSC ³ / ₄			PSC ¹ / ₃			PSC ¹ / ₂					
Cap. Mfd/Volts	10/370			5/370			7.5/370					
Filter Type	Washable			Washable			Washable					
Filter Size (")	16x25x1 (2)			16x18x1 (2)			16x18x1 (2)					
Min. Cool Cap. (Tons)	3.5			1.5			2					
Max. Cool Cap. (Tons)	5			3			3.5					

Specifications						
	NDC7100BHG GDL100N16G			NDC7125BKG GDL125N20G		
General						
Input (Btuh)	100,000			125,000		
Output (Btuh)	80,000			100,000		
Temp. Rise (°F)	35-65			45-75		
Electrical (Volts/Hz/FLA)	115/60/9.2			115/60/10.5		
Gas & Ignition						
Gas Type	Nat	LP		Nat	LP	
Std. Main Orifices (No/Size)	4/#42	4/#54		5/#42	5/#54	
Combustion	@	@		@	@	
Std. Pressure (" of WC)	Blower	Burner Box	Differential	Blower	Burner Box	Differential
5' No Elbows	0.95	0.19	0.76	0.99	0.16	0.88
40' +5-90° Elbows	0.94	0.27	0.67	0.89	0.22	0.66
Limits & Controls						
Thermal Sensor (°F)	200			250		
Limit Control Setting (°F)	190			170		
Auxiliary Limit (°F)	110			130		
Std. Pressure Sw. (Part No)	1010645			1010646		
Press (Close)	0.47			0.55		
Press (Open)	0.37			0.45		
High Alt. Restrictor (Part No.)	1010644			1010645		
Press Differential (Close)	0.39			0.47		
Press Differential (Open)	0.29			0.37		
Blower Data						
Type & Size	10-10			11.8-10.6		
Motor Amps/Rpm	8.5/1050			9.8/900		
Motor Type/H.p.	PSC/1/2			PSC/3/4		
Cap. Mfd/Volts	10/370			10/370		
Filter Type	Washable			Washable		
Filter Size (")	16x18x1 (2)			16x18x1 (2)		
Min. Cool Cap. (Tons)	2			3.5		
Max. Cool Cap. (Tons)	4			5		

CIRCULATION AIR BLOWER DATA

NTC7050BFG/GNL050N12C & NDC7050BFG/GDL050N12G

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	718	840	--	1109	1473
	.20	719	838	--	1094	1431
	.30	714	837	--	1086	1396
	.40	692	819	--	1063	1349
	.50	660	791	--	1027	1291
	.60	615	752	--	986	1222
	.70	563	683	--	934	1141

External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	339	396	--	523	695
	.20	339	395	--	516	675
	.30	337	395	--	513	659
	.40	327	387	--	502	637
	.50	311	373	--	485	609
	.60	290	355	--	465	577
	.70	266	322	--	441	538

NTC7075BFG/GNL075N12G & NDC7075BFG/GDL075N12G

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	778	984	--	1263	1576
	.20	786	1003	--	1249	1532
	.30	790	1003	--	1244	1489
	.40	788	1001	--	1215	1432
	.50	781	982	--	1186	1371
	.60	765	962	--	1146	1308
	.70	743	923	--	1094	1229

External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	367	464	--	596	744
	.20	371	473	--	589	723
	.30	373	473	--	587	703
	.40	372	472	--	573	676
	.50	369	463	--	560	647
	.60	361	454	--	541	617
	.70	351	436	--	516	580

NTC7100BHG/GNL100N16G & NDC7100BHG/GDL100N16G

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	954	1312	--	1698	1925
	.20	950	1292	--	1645	1853
	.30	946	1265	--	1596	1780
	.40	915	1231	--	1530	1708
	.50	878	1175	--	1455	1638
	.60	830	1118	--	1362	1546
	.70	778	1020	--	1241	1435

External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	450	619	--	801	908
	.20	448	610	--	776	874
	.30	446	597	--	753	840
	.40	432	581	--	722	806
	.50	414	555	--	687	773
	.60	392	528	--	643	730
	.70	367	481	--	586	677


NTC7125BKG/GNL125N20G & NDC7125BKG/GDL125N20G

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	1463	1650	--	1879	2214
	.20	1429	1635	--	1859	2154
	.30	1417	1614	--	1838	2152
	.40	1389	1579	--	1806	2106
	.50	1364	1556	--	1773	2049
	.60	1339	1513	--	1725	1981
	.70	1299	1470	--	1668	1903


External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	690	779	--	887	1045
	.20	674	772	--	877	1017
	.30	669	762	--	867	1016
	.40	656	745	--	852	994
	.50	644	734	--	837	967
	.60	632	714	--	814	935
	.70	613	694	--	787	898

6

THIS DATA SUBJECT TO CHANGE WITHOUT NOTICE



NTC7 / GNL MODELS



25-21-72a

Replacement Parts - NTC7/GNL


Models - NTC7050BFG1/GNL050N12G1, NTC7075BFG1/GNL075N12G1, NTC7100BHG1/GNL100N16G1, NTC7125BKG1/GNL125N20G1

Replacement part supplied will be current active part. For parts not listed, consult place of purchase.

Key No.	Functional Parts Description	Part Number	NTC7/GNL			
			050	075	100	125
1	Heat Exchanger	1011357	1	-	-	-
		1011369	-	1	-	-
		1011370	-	-	1	-
		1011371	-	-	-	1
2	Switch Limit, Auxiliary	1000735	2	2	2	2
3	Motor Blower 115V-1/3HP	1012514	1	-	-	-
	115V-1/2HP	1013341	-	1	-	-
	115V-1/2HP	1009052	-	-	1	-
	115V-3/4HP	1011420	-	-	-	1
4	Mount Motor Kit	609227	1	1	1	-
		522020024	-	-	-	1
5	Wheel Blower 10-8DD	600587	1	1	-	-
	10-10DD	601210	-	-	1	-
	11-10DD	1011420	-	-	-	1
6	Capacitor 5/370V	1094954	1	-	-	-
	10/370V	1094956	-	-	1	1
	7.5/370V	1094239	-	1	-	-
7	Timer Fan	1011927	1	1	1	1
8	Transformer	1012722	1	1	1	1
9	Switch Door Interlock	1010886	1	1	1	1
10	Orifice Burner Nat #42	1011351	2	3	4	5
11	Manifold Gas	1010203	1	-	-	-
		1010204	-	1	-	-
		1010205	-	-	1	-
		1010206	-	-	-	1
12	Valve Gas Nat & LP	1010988	1	1	1	1
13	Tube Pilot	1010343	1	-	-	-
		1010344	-	1	1	-
		1010345	-	-	-	1
15	Pilot/Igniter	1008731	1	1	1	1
16	Orifice Pilot Nat (.018)	503211	1	1	1	1
17	Burner Asy	1012382	1	-	-	-
		1012383	-	1	-	-
		1012384	-	-	1	-
		1012385	-	-	-	1
18	Pressure Tap	1005606	1	1	1	1
19	Switch Limit, Rollout	1005548	2	-	-	2
		1010575	-	2	2	-
20	Switch Limit (Main)	1010647	1	-	-	-
		1320547	-	1	1	-
		34332904	-	-	-	1
21	Blower, Combustion	1011899	1	1	1	1
22	Switch Pressure	1010942	1	-	-	-
		1010943	-	1	1	-
		1010944	-	-	-	1
23	Tubing, Silicone Sensor	2971255	1	1	1	1
28	Ignitor/Sensor with Clip	1009524	1	1	1	1
(PART NOT ILLUSTRATED						
(	Harness, Wire	1011862	1	1	1	1
(	Reducer, 3" to 2"	1005779	1	1	-	-
(	Fuse (5-Amp)	1083348	1	1	1	1
(	Manual Tech	44103200900	1	1	1	1
(	Manual Install	44101200800	1	1	1	1
(	Manual Homeowners	44102200105	1	1	1	1

Key No.	Non-Functional Parts Description	Part Number	NTC7/GNL			
			050	075	100	125
A	Panel Top	1013436	1	1	-	-
		1013437	-	-	1	-
		1013438	-	-	-	1
B	Box Field Connect	1011941	1	1	1	1
C	Cover Field Connect	1010360	1	1	1	1
G	Blower Partition	1013459	1	1	-	-
		1013460	-	-	1	1
H	Rail Blower Slide	57059	2	2	2	2
K	Panel Cutoff Blw	721020013	1	1	-	-
		721020008	-	-	1	1
L	Housing Blower	1013131	1	1	-	-
		1013132	-	-	1	-
		1013128	-	-	-	1
M	Hanger Blower	1010690	2	2	2	2
N	Bracket Ctrl Board	1012321	1	1	1	1
O	Door Blower	1013439	1	1	-	-
		1013440	-	-	1	1
P	Door Louvered (NTC7 ONLY)	1013441	1	1	-	-
	(NTC7 ONLY)	1013442	-	-	1	1
	(GNL ONLY)	1013454	1	1	-	-
	(GNL ONLY)	1013455	-	-	1	1
Q	Bracket Pilot	1010901	1	1	1	1
R	Bracket Burner Box	1008722	2	2	2	2
S	Gasket Limit Switch	1008778	2	2	2	2
T	Cover Diaphragm	1068036	1	1	1	1
U	Diaphragm Silicone	1008763	1	1	1	1
V	Baffle Burner Box	1008709	1	1	-	-
		1008710	-	-	1	-
		1008711	-	-	-	1
W	Cover Burner Box	1008748	1	1	-	-
		1008749	-	-	1	-
		1008750	-	-	-	1
X	Viewport Cover Lexan	2480678	1	1	1	1
Y	Gasket Viewport	1093666	1	1	1	1
Z	Gasket Cover Sides	1008755	2	2	2	2
AA	Gasket Cover Top & Bottom	1008762	2	2	-	-
		1009243	-	-	2	-
		1009244	-	-	-	2
BB	Burner Box Asy	1010231	1	1	-	-
		1010240	-	-	1	-
		1010241	-	-	-	1
CC	Gasket Air Intake	1008746	1	1	1	1
DD	Coupling Air Intake	1008744	1	1	1	1
EE	Gasket Burner Box	1008759	1	1	-	-
		1008760	-	-	1	-
		1008761	-	-	-	1
FF	Gasket, Comb. Blower	1011379	1	1	1	1
GG	Collector Box	1011051	1	1	-	-
		1011054	-	-	1	-
		1011058	-	-	-	1
HH	Gasket Collector Box	1093661	1	1	-	-
		1093662	-	-	1	-
		1093663	-	-	-	1
JJ	Partition Front	1010289	1	-	-	-
		1010290	-	1	-	-
		1010291	-	-	1	-
		1010292	-	-	-	1
KK	Gasket, Heat Exchanger	2480904	2	-	-	-
		2480905	-	2	-	-
		2480906	-	-	2	-
		2480907	-	-	-	2
LL	Clamp, Capacitor	1095020	1	1	1	1
XX	Shield, Heat Intake	1010573	-	-	-	1
YY	Inlet Pipe	1010309	1	1	-	-

NDC7 / GDL MODELS



25-21-73

Replacement Parts - NDC7/GDL

Models - NDC7050BFG1/GDL050N12G1, NDC7075BFG1/GDL075N12G1, NDC7100BHG1/GDL100N16G1, NDC7125BKG1/GDL125N20G1 (Natural Gas)

Replacement part supplied will be current active part. For parts not listed, consult place of purchase.

Key No.	Functional Parts Description	Part Number	NDC7/GDL			
			050	075	100	125
1	Heat Exchanger	1011372	1	-	-	-
		1011373	-	1	-	-
		1011374	-	-	1	-
		1011375	-	-	-	1
2	Switch Limit, Auxiliary	1320368	1	1	1	1
3	Motor Blower 115V-1/3HP	1012514	1	-	-	-
	115V-1/2HP	1013341	-	1	-	-
	115V-1/2HP	1009052	-	-	1	-
	115V-3/4HP	1011420	-	-	-	1
4	Mount Motor Kit	609227	1	1	1	-
		522020024	-	-	-	1
5	Wheel Blower 10-8DD	600587	1	1	-	-
	10-10DD	601210	-	-	1	-
	11-10DD	1011420	-	-	-	1
6	Capacitor 5/370V	1094954	1	-	-	-
	10/370V	1094956	-	-	1	1
	7.5/370V	1094239	-	1	-	-
7	Control, Timer Fan	1011927	1	1	1	1
8	Transformer	1012722	1	1	1	1
9	Switch, Interlock	1010886	1	1	1	1
10	Orifice Burner Nat #42	1011351	2	3	4	5
11	Manifold, Gas	1010203	1	-	-	-
		1010204	-	1	-	-
		1010205	-	-	1	-
		1010206	-	-	-	1
12	Valve, Gas Nat	1010988	1	1	1	1
13	Tube Pilot	1010343	1	-	-	-
		1010344	-	1	1	-
		1010345	-	-	-	1
15	Pilot /Igniter	1008731	1	1	1	1
16	Orifice Pilot Nat (.018)	503211	1	1	1	1
17	Burner Asy	1012382	1	-	-	-
		1012383	-	1	-	-
		1012384	-	-	1	-
		1012385	-	-	-	1
18	Pressure Tap	1005606	1	1	1	1
19	Switch Limit, Rollout	1005548	2	-	-	2
		1010575	-	2	2	-
20	Switch Limit (Main)	1010648	1	-	-	-
		1009774	-	1	-	-
		34332903	-	-	1	-
		1010652	-	-	-	1
21	Blower Exhaust	1011899	1	1	1	1
22	Switch Pressure	1010942	1	-	-	-
		1010943	-	1	1	-
		1010944	-	-	-	1
23	Tube Sensor	2971255	1	1	1	1
28	Igniter/Sensor with Clip	1009524	1	1	1	1

Key No.	Non-Functional Parts Description	Part Number	NDC7/GDL			
			050	075	100	125
A	Panel Top	1013447	1	1	-	-
		1013448	-	-	1	-
		1013449	-	-	-	1
B	Box Field Connect	1011941	1	1	1	1
C	Cover Field Connect	1010360	1	1	1	1
G	Blower Partition	1013462	1	1	-	-
		1013463	-	-	1	-
		1013464	-	-	-	1
H	Rail Blower Slide	33406100	2	2	2	2
J	Casing Base	1013338	-	-	-	-
		1013339	-	-	-	-
K	Panel Cutoff Blw	721020013	1	1	-	-
		721020008	-	-	1	1
L	Housing Blower	1010579	1	1	-	-
		1010580	-	-	1	-
		1010716	-	-	-	1
M	Hanger Blower	33403100	2	2	2	2
N	Bracket Ctrl Board	1011178	1	1	1	1
O	Door Blower	1013450	1	1	-	-
		1013451	-	-	1	1
P	Door Louvered (NDC7/GDL)	1013443	1	1	-	-
	(NDC7/GDL)	1013444	-	-	1	1
Q	Bracket Pilot	1010901	1	1	1	1
R	Bracket Burner Box	1008722	2	2	2	2
S	Gasket Limit (Rollout)	1008778	2	2	2	2
T	Cover Diaphragm	1068036	1	1	1	1
U	Diaphragm Silicone	1008763	1	1	1	1
V	Baffle Burner Box	1008709	1	1	-	-
		1008710	-	-	1	-
		1008711	-	-	-	1
W	Cover Burner Box	1008748	1	1	-	-
		1008749	-	-	1	-
		1008750	-	-	-	1
X	Viewport Cover Lexan	2480678	1	1	1	1
Y	Gasket Viewport	1093666	1	1	1	1
Z	Gasket Cover Sides	1008755	2	2	2	2
AA	Gasket Cover Top & Bottom	1008762	2	2	-	-
		1009243	-	-	2	-
		1009244	-	-	-	2
BB	Burner Box Asy	1010231	1	1	-	-
		1010240	-	-	1	-
		1010241	-	-	-	1
CC	Gasket Air Intake	1008746	1	1	1	1
DD	Coupling Air Intake	1008744	1	1	1	1
EE	Gasket Burner Box	1008759	1	1	-	-
		1008760	-	-	1	-
		1008761	-	-	-	1
FF	Gasket, Comb. Blower	1011379	1	1	1	1
GG	Collector Box	1011051	1	1	-	-
		1011054	-	-	1	-
		1011058	-	-	-	1
HH	Gasket Collector Box	1093661	1	1	-	-
		1093662	-	-	1	-
		1093663	-	-	-	1
JJ	Partition Front	1010700	1	-	-	-
		1010701	-	1	-	-
		1010702	-	-	1	-
		1010703	-	-	-	1
KK	Gasket, Heat Exchanger	2480904	2	-	-	-
		2480905	-	2	-	-
		2480906	-	-	2	-
		2480907	-	-	-	2

Replacement Parts - NDC7/GDL

Models - NDC7050BFG1/GDL050N12G1, NDC7075BFG1/GDL075N12G1, NDC7100BHG1/GDL100N16G1, NDC7125BKG1/GDL125N20G1 (Natural Gas)

Replacement part supplied will be current active part. For parts not listed, consult place of purchase.

Key No.	Non-Functional Parts Description	Part Number	NDC7/GDL			
			050	075	100	125
LL	Clamp, Capacitor	1095020	1	1	1	1
OO	Filter, Air 16" x 19" x 1"	1009750	2	2	2	2
RR	Holder, Filter	33411100	1	1	1	1
SS	Plate, Fill In	1011072	1	1	-	-
		1011073	-	-	1	1
VV	End Plate, Vent Shield	57083	4	4	4	4
WW	Shield, Vent Pipe	2311159	2	2	2	2
XX	Shield, Heat Intake	1010573	-	-	-	1
YY	Inlet Pipe 2" Dia.	1010309	1	1	-	-
ZZ	Pipe Flue 3" Dia.	1010956	1	1	1	1
)(	PART NOT ILLUSTRATED					
)(	Harness, Wire	102201	1	1	1	1
)(	Reducer, 3" to 2"	1005779	1	1	-	-
)(	Fuse (5-Amp)	1083348	1	1	1	1
)(	Manual Tech	44103200900	1	1	1	1
)(	Manual Install	44101200800	1	1	1	1
)(	Manual Homeowners	44102200105	1	1	1	1

Gas Conversion Kits - All models

(NTC7/GNL & NDC7/GDL)

Nat to LP NAHF002LP *1009509 or

NAHL002LP *1160991

LP to Nat *1009510

*Must be ordered from Service Parts