


Technical Support Manual



25-20-24

Upflow Models


NTP6050FBG1
NTP6075GFG1
NTP6100GFG1
NTP6100KJG1
NTP6125KJG1

TNE050B12G1
TNE075F14G1
TNE100F14G1
TNE100J20G1
TNE125J20G1

Downflow Models

NDP6050FBG1
NDP6075FBG1
NDP6100HFG1
NDP6125KJG1

TDE050B12G1
TDE075B12G1
TDE100F16G1
TDE125J20G1



25-21-47

FAN ASSISTED COMBUSTION GAS FURNACES



Design Certified
by A.G.A.

Manufactured by:

International Comfort Products Corporation (USA)
Lewisburg, TN USA 37091



Save This Manual For Future Reference

Manufacturers Number (Mfr No -See Rating Plate) ALL Models		
Specifications		
General		
Gas Type	Nat	LP
Transformer Size (VA)	40	40
T'stat Heat Anticipator	.30	.30
Gas & Ignition		
Gas Valve	HW SV 9540	HW SV 9540
Regulation Type	SNAP	SNAP
Manifold Press. Hi Fire (" WC)	3.5	10.0
Lo Fire (" WC)	1.7	4.9
Pilot Orifice Size	.018	.011
Ignition Type/Series	HW HSP	HW HSP
Combustion		
Flue Outlet Size (Inches)	3	3
Std. Outlet Temp (°F)	<480	<480
Limits & Controls		
Fan Control (Type)	HW ST9162A	HW ST9162A
Fan Control On	30/60	30/60
(Timed-secs) Off	60,100,140,180	60,100,140,180
Gas Conversion Kits		
Nat to LP	*1011789	
LP to Nat	*1011787	
*Must be ordered from Service Parts		

Specifications										
	NTP6050FB/ TNE050B12		NTP6075GF/ TNE075F14		NTP6100GF/ TNE100F14		NTP6100KJ/ TNE100J20		NTP6125KJ/ TNE125J20	
General										
Input (Btuh) Std/Alt. Hi Fire	50,000		75,000		100,000		100,000		125,000	
Lo Fire	35,000		52,500		70,000		70,000		87,500	
Output (Btuh) Std/Alt. Hi Fire	40,000		60,000		80,000		79,000		99,000	
Lo Fire	28,000		42,000		56,000		56,000		72,000	
Temp. Rise (°F) Hi Fire	35-65		35-65		45-75		45-75		40-70	
Lo Fire	35-65		35-65		45-75		45-75		40-70	
Electrical (Volts/Hz/FLA)	115/60/5.3		115/60/9.2		115/60/9.2		115/60/12		115/60/12	
Gas & Ignition										
Gas Type	Nat	LP	Nat	LP	Nat	LP	Nat	LP	Nat	LP
Std. Main Orifices (No/Size)	2/#42	2/#54	3/#42	3/#54	4/#42	4/#54	4/#42	4/#54	5/#42	5/#54
Limits & Controls										
Thermal Sensor (°F)	300		300		300		300		300	
Limit Control Setting (°F)	See Limit in Parts List		See Limit in Parts List		See Limit in Parts List		See Limit in Parts List		See Limit in Parts List	
Auxiliary Limit (°F)	130		130		130		130		130	
Std. Pressure Sw. Hi Fire (Part No)	1010945		1010945		1010945		1010945		1010945	
Press (Close)	-0.95		-0.95		-0.95		-0.95		-0.95	
Press (Open)	-0.80		-0.80		-0.80		-0.80		-0.80	
Std. Pressure Sw. Lo Fire (Part No)	1011739		1011739		1011739		1011739		1011739	
Press (Close)	-0.53		-0.53		-0.53		-0.53		-0.53	
Press (Open)	-0.35		-0.35		-0.35		-0.35		-0.35	
Blower Data										
Type & Size	10-8		10-10		10-10		11-10		11-10	
Motor Amps/Rpm	6.5/1050		6.5/1050		6.5/1050		11.0/900		11.9/900	
Motor Type/H.p.	PSC ¹ / ₃		PSC ¹ / ₂		PSC ¹ / ₂		PSC ³ / ₄		PSC ³ / ₄	
Cap. Mfd/Volts	5/370		7.5/370		7.5/370		10/370		10/370	
Filter Type	Washable		Washable		Washable		Washable		Washable	
Filter Size (")	14x25x1		16x25x1		16x25x1		16x25x1 (2)		16x25x1 (2)	
Min. Cool Cap. (Tons)	1.5		1.5		1.5		3		3	
Max. Cool Cap. (Tons)	3		3.5		3.5		5		5	

Specifications									
		NDP6050FB/TDE050B12		NDP6075FB/TDE075B12		NDP6100HF/TDE100F16		NTP6125JB/TDE125J20	
General									
Input (Btuh) Std/Alt.	Hi Fire	50,000		75,000		100,000		125,000	
	Lo Fire	35,000		52,500		70,000		87,500	
Output (Btuh) Std/Alt.	Hi Fire	40,000		60,000		80,000		89,000	
	Lo Fire	28,000		42,000		56,000		72,000	
Temp. Rise (°F)	Hi Fire	30-60		40-70		35-65		45-75	
	Lo Fire	30-60		40-70		35-65		45-75	
Electrical (Volts/Hz/FLA)		115/60/5.3		115/60/9.2		115/60/12		115/60/12	
Gas & Ignition									
Gas Type		Nat.	LP	Nat.	LP	Nat.	LP	Nat.	LP
Std. Main Orifices (No/Size)		2/#42	2/#54	3/#42	4/#54	4/#42	4/#54	5/#42	5/#54
Limits & Controls									
Thermal Sensor (°F)		300		300		300		300	
Limit Control Setting (°F)		See Limit in Parts List		See Limit in Parts List		See Limit in Parts List		See Limit in Parts List	
Auxiliary Limit (°F)		110		110		110		110	
Std. Pressure Sw. Hi Fire (Part No)		1010945		1010945		1010945		1010945	
Press (Close)		-0.95		-0.95		-0.95		-0.95	
Press (Open)		-0.80		-0.80		-0.80		-0.80	
Std. Pressure Sw. Lo Fire (Part No)		1011739		1011739		1011739		1011739	
Press (Close)		-0.53		-0.53		-0.53		-0.53	
Press (Open)		-0.35		-0.35		-0.35		-0.35	
Blower Data									
Type & Size		10-8		10-12		10-10		11-10	
Motor Amps/Rpm		6.5/1050		6.5/1050		8.5/1050		11.9/900	
Motor Type/H.p.		PSC/1/3		PSC/1/3		PSC/1/2		PSC/3/4	
Cap. Mfd/Volts		5/370		5/370		10/370		10/370	
Filter Type		Washable		Washable		Washable		Washable	
Filter Size (")		16x18x1 (2)		16x18x1 (2)		16x18x1 (2)		16x18x1 (2)	
Min. Cool Cap. (Tons)		1.5		1.5		2		3	
Max. Cool Cap. (Tons)		3		3		4		5	

CIRCULATION AIR BLOWER DATA

NTP6050FB/TNE050B12, NDP6050FB/TNE050B12 & NDP6075FB/TNE075B12

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	675	859	--	1015	1394
	.20	662	846	--	999	1342
	.30	651	819	--	977	1289
	.40	636	795	--	952	1227
	.50	608	765	--	914	1163
	.60	564	735	--	870	1086
	.70	514	685	--	818	1002

External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	318	405	--	479	658
	.20	312	399	--	472	633
	.30	307	387	--	461	608
	.40	300	375	--	449	579
	.50	287	361	--	431	549
	.60	266	347	--	411	513
	.70	243	323	--	386	473

NTP6075GF/TNE075F14 & NTP6100GF/TNE100F14

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	815	1043	--	1324	1649
	.20	783	1030	--	1302	1616
	.30	755	1021	--	1280	1592
	.40	735	989	--	1255	1546
	.50	704	968	--	1218	1502
	.60	668	941	--	1171	1425
	.70	646	881	--	1100	1353

External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	385	492	--	625	778
	.20	370	486	--	615	763
	.30	356	482	--	604	751
	.40	347	467	--	592	730
	.50	332	457	--	575	709
	.60	315	444	--	553	673
	.70	305	415	--	519	639

NTP6100KJ/TNE100J20

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	1210	1441	--	1773	2104
	.20	1201	1430	--	1740	2078
	.30	1197	1453	--	1740	2061
	.40	1191	1441	--	1718	2020
	.50	1167	1425	--	1707	2005
	.60	1160	1390	--	1676	1953
	.70	1130	1365	--	1654	1917

External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	571	680	--	837	993
	.20	567	675	--	821	981
	.30	565	686	--	821	973
	.40	562	680	--	811	953
	.50	552	673	--	806	946
	.60	548	656	--	791	922
	.70	533	644	--	781	905

NTP6125KJ/TNE125J20

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	1264	1520	--	1841	2161
	.20	1251	1506	--	1803	2132
	.30	1249	1486	--	1772	2079
	.40	1219	1456	--	1736	2042
	.50	1168	1427	--	1702	1991
	.60	1178	1415	--	1672	1914
	.70	1143	1358	--	1614	1838

External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	597	717	--	869	1020
	.20	590	711	--	851	1006
	.30	590	701	--	836	981
	.40	575	687	--	819	964
	.50	551	674	--	803	940
	.60	556	668	--	789	903
	.70	540	641	--	762	868

NDP6100HF/TDE100F16

External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	954	1312	--	1698	1925
	.20	950	1292	--	1645	1853
	.30	946	1265	--	1596	1780
	.40	915	1231	--	1530	1708
	.50	878	1175	--	1455	1638
	.60	830	1118	--	1362	1546
	.70	778	1020	--	1241	1435


External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	450	619	--	801	908
	.20	448	610	--	776	874
	.30	446	597	--	753	840
	.40	432	581	--	722	806
	.50	414	555	--	687	773
	.60	392	528	--	643	730
	.70	367	481	--	586	677

NDP6125KJ/TDE125J20


External Static Pressure Inches of W.C.	Air Delivery in Cubic Feet per Minute (C.F.M.) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	1333	1573	--	1840	2148
	.20	1294	1544	--	1816	2093
	.30	1266	1500	--	1776	2041
	.40	1240	1467	--	1726	1981
	.50	1175	1419	--	1665	1906
	.60	1141	1357	--	1607	1828
	.70	1054	1308	--	1538	1751

External Static Pressure Inches of W.C.	Air Delivery in Liters Per Second (L/S) (Furnace Rated @0.5" WC ESP)					
	TAP	LOW	MED L	MED	MED H	HIGH
	.10	629	742	--	868	1014
	.20	611	729	--	857	988
	.30	598	708	--	838	963
	.40	585	692	--	815	935
	.50	555	670	--	786	900
	.60	539	641	--	759	863
	.70	497	617	--	726	826

441 03 2011 00



2. NTP6/TNE



Replacement Parts - NTP6/TNE (Natural Gas)


Models – NTP6050FBG1, NTP6075GFG1, NTP6100GFG1, NTP6100KJG1, NTP6125KJG1:
TNE050B12G1, TNE075F14G1, TNE100F14G1, TNE100J20G1 & TNE125J20G1

Replacement part supplied will be current active part. For parts not listed, consult place of purchase.

Key No.	Functional Description	Part Number	NTP6/TNE				
			050F 050B	075G 075F	100G 100F	100K 100J	125K 125J
1	Heat Exchanger	1011544	1	-	-	-	-
		1011364	-	-	1	-	-
		1011363	-	-	-	1	-
		1012407	-	1	-	-	-
		1012408	-	-	-	-	1
2	Blower Wheel	601210	-	1	1	-	-
		600587	1	-	-	-	-
		1011420	-	-	-	1	1
3	Switch, Auxiliary Limit	1013105	2	2	2	2	2
4	Blower Motor	1012514	1	-	-	-	-
		1013341	-	1	1	-	-
		1011404	-	-	-	1	1
5	Motor Mount Kit	609227	1	1	1	-	-
		522020024	-	-	-	1	1
6	Control, Fan Timer	1012084	1	1	1	1	1
7	Transformer, 40VA	1012722	1	1	1	1	1
8	Capacitor 10mf 370V	1094956	-	-	-	1	1
	5mf 370V	1094954	1	-	-	-	-
	7.5mf 370V	1094239	-	1	1	-	-
9	Switch Door	1010886	1	1	1	1	1
10	Burner Assembly	1008723	1	-	-	-	-
		1008724	-	1	-	-	-
		1008725	-	-	1	1	-
		1008726	-	-	-	-	1
11	Pilot, Nat & LP	1008731	1	1	1	1	1
12	Pilot Orifice, NAT (.018)	503211	1	1	1	1	1
13	Orifice, #42 NAT	1011351	2	3	4	4	5
14	Tube, Pilot	1011943	1	-	-	-	-
		1011944	-	1	1	1	-
		1011946	-	-	-	-	1
15	Manifold	1011698	1	-	-	-	-
		1011699	-	1	-	-	-
		1011700	-	-	1	1	-
		1011701	-	-	-	-	1
16	Valve, Natural & LP	1012188	1	1	1	1	1
17	Switch, Limit 260°F	1320366	1	-	-	-	-
	270°F	1320365	-	-	1	-	-
	180°F	1008417	-	-	-	1	-
	150°F	1320361	-	1	-	-	-
	190°F	1008445	-	-	-	-	1
18	Tubing, Silicone 24"	2971255	1	1	1	1	1
19	Combustion Blw Assemb	1011632	1	1	1	1	1
20	Rollout Switch, Limit	1005549	2	2	2	2	2
21	Switch, Press (Hi)(Upper)	1010945	1	1	1	1	1
22	Heat Exchanger Gaskets	2480904	2	-	-	-	-
		2480905	-	2	-	-	-
		2480906	-	-	2	2	-
		2480907	-	-	-	-	2
23	Ht Exchanger Frt Partition	1008068	1	-	-	-	-
		1008072	-	-	1	-	-
		1008071	-	-	-	1	-
		1012410	-	1	-	-	-
		1012411	-	-	-	-	1
28	Ignitor/Sensor with clip	1009524	1	1	1	1	1
30	Switch, Press (Lo)(Lwr)	1011739	1	1	1	1	1
()	PART NOT ILLUSTRATED						
()	Wire Harn Asy. Low Volt	1011858	1	1	1	1	1
()	Fuse, 5 Amp	1083348	1	1	1	1	1
()	Manual, Homeowners	44102200105	1	1	1	1	1
()	Manual, Installation	44101200700	1	1	1	1	1
()	Manual, Tech Support	44103201100	1	1	1	1	1
()	Nat to LP Conver Kit	1011789	1	1	1	1	1
()	LP to Nat Conver Kit	1011787	1	1	1	1	1

Key No.	Functional Description	Part Number	NTP6/TNE				
			050F 050B	075G 075F	100G 100F	100K 100J	125K 125J
A	Top	1013295	1	-	-	-	-
		1013296	-	1	-	-	-
		1013297	-	-	1	-	-
		1013298	-	-	-	1	1
B	Field Connect Box	1011941	1	1	1	1	1
C	Cover, Field Connect	1010360	1	1	1	1	1
D	Gasket, Collector	1093661	1	1	-	-	-
		1093662	-	-	1	1	-
		1093663	-	-	-	-	1
E	Collector	1085400	1	-	-	-	-
		1011048	-	1	-	-	-
		1011672	-	-	1	1	-
		1011738	-	-	-	-	1
F	Gasket, Combustion Blwr	1011379	1	1	1	1	1
H	Door, Louvered	1013331	1	-	-	-	-
		1013332	-	1	1	-	-
		1013333	-	-	-	1	1
J	Door, Blower	1013303	1	-	-	-	-
		1013304	-	1	1	-	-
		1013305	-	-	-	1	1
M	Bracket, Pilot	1010901	1	1	1	1	1
O	Manifold Support Bracket	1011450	2	2	2	2	2
P	Filter Rack Wrapper	741010042	1	-	-	-	-
		741010039	-	1	1	2	2
Q	Filter Rack Front	741020004	1	-	-	-	-
		741020001	-	1	1	2	2
R	Filter 14" x 25" x 1/2"	1010364	1	-	-	-	-
	16" x 25" x 1/2"	1010365	-	1	1	2	2
S	Filter Cover Plastic	2791042	1	-	-	-	-
		2791043	-	1	1	2	2
T	Clip, Filter	1008482	3	3	3	3	3
U	Fan Timer Bracket	1012321	1	1	1	1	1
W	Blower Housing	1013131	1	-	-	-	-
		1013132	-	1	1	-	-
		1013128	-	-	-	1	1
X	Blower Cutoff	721020008	-	1	1	1	1
		721020013	1	-	-	-	-
Y	Blower Hanger	1010690	2	2	2	2	2
AA	Strap Capacitor	1095020	1	1	1	1	1
BB	Rail, Blower Slide	57059	2	2	2	2	2
EE	Baffle, NOx	1009876	2	3	4	4	5
NN	Partition, Blower	1013456	1	-	-	-	-
		1013457	-	1	1	-	-
		1013461	-	-	-	1	1
OO	Baffle, Burner Box	1011454	1	1	-	-	-
		1011455	-	-	1	1	-
		1011456	-	-	-	-	1
PP	Top, Burner Box	1011768	1	1	-	-	-
		1011769	-	-	1	1	-
		1011770	-	-	-	-	1
QQ	Cover, Burner Box	1011469	1	1	-	-	-
		1011470	-	-	1	1	-
		1011471	-	-	-	-	1
RR	Sight Glass	1011781	1	1	1	1	1
SS	Bracket, Pressure Swth	1011611	1	1	1	1	1
TT	Pressure Tap Tee	1011750	1	1	1	1	1

3. NDP6/TDE



25-22-59

Replacement Parts - NDP6/TDE (Natural Gas)

Models – NDP6050FBG1, NDP6075FBG1, NDP6100HFG1 & NDP6125KJG1:
TDE050B12G1, TDE075F12G1, TDE100F16G1 & TDE125J20G1

Replacement part supplied will be current active part. For parts not listed, consult place of purchase.

Key No.	Description Functional	Part Number	NDP6/TDE			
			050F 050B	075F 075B	100H 100F	125K 125J
1	Heat Exch Assembly	1011544	1	-	-	-
		1011364	-	-	1	-
		1012406	-	1	-	-
		1012408	-	-	-	1
2	Blower Wheel	601210	-	-	1	-
		600587	1	1	-	-
		1011420	-	-	-	1
3	Switch, Limit (Auxiliary)	1320368	1	1	1	1
4	Blower Motor	1012514	1	1	-	-
		1009052	-	-	1	-
		1011404	-	-	-	1
5	Motor Mount Kit	609227	1	1	1	-
		522020024	-	-	-	1
6	Control, Fan Timer	1012084	1	1	1	1
7	Transformer, 40VA	1012722	1	1	1	1
8	Capacitor 10mf 370V	1094956	-	-	1	1
	5mf 370V	1094954	1	1	-	-
9	Switch Door	1010886	1	1	1	1
10	Burner Assembly	1008723	1	-	-	-
		1008724	-	1	-	-
		1008725	-	-	1	-
		1008726	-	-	-	1
11	Pilot, Natural & LP	1008731	1	1	1	1
12	Orifice, Pilot, Nat. (.018)	503211	1	1	1	1
13	Orifice, #42, Nat.	1011351	2	3	4	5
14	Tube, Pilot	1011943	1	-	-	-
		1011944	-	1	1	-
		1011946	-	-	-	1
15	Manifold	1011698	1	-	-	-
		1011699	-	1	-	-
		1011700	-	-	1	-
		1011701	-	-	-	1
16	Valve, Natural + LP	1012188	1	1	1	1
17	Switch, Limit 210°F	34335001	1	-	-	-
	260°F	1320366	-	-	1	-
	220°F	1320367	-	1	-	-
	150°F	1320362	-	-	-	1
18	Tubing, Silicone, (24")	2971255	1	1	1	1
19	Combustion Blwr Assb.	1011632	1	1	1	1
20	Rollout Switch, Limit	1005549	1	1	1	1
21	Switch, Press (Hi) (Upper)	1010945	1	1	1	1
22	Gasket, Heat Exchanger	2480904	2	-	-	-
		2480905	-	2	-	-
		2480906	-	-	2	-
		2480907	-	-	-	2
23	Partition, Frnt Ht Exch	1008068	1	-	-	-
		1008072	-	-	1	-
		1012409	-	1	-	-
		1012411	-	-	-	1
28	Ignitor/Sensor with clip	1009524	1	1	1	1
30	Switch, Press (Lo) (Lower)	1011739	1	1	1	1
()	PART NOT ILLUSTRATED					
()	Wire Harness Asy.	1012202	1	1	1	1
()	Fuse, 5 Amp	1083348	1	1	1	1
()	Manual, Homeowners	44102200105	1	1	1	1
()	Manual, Installation	44101200700	1	1	1	1
()	Manual, Tech Support	44103201100	1	1	1	1
()	Manual, Vent Inst	1007374	1	1	1	1
()	Nat to LP Gas Conver Kit	1011789	1	1	1	1
()	LP to Nat Gas Conver Kit	1011787	1	1	1	1

Key No.	Description Non-Functional	Part Number	NDP6/TDE			
			050F 050B	075F 075B	100H 100F	125K 125J
A	Panel, Top	1013299	1	1	-	-
		1013300	-	-	1	-
		1013301	-	-	-	1
B	Field Connect Box	1011941	1	1	1	1
C	Cover, Field Connect	1010360	1	1	1	1
D	Gasket, Collector	1093661	1	1	-	-
		1093662	-	-	1	-
		1093663	-	-	-	1
E	Collector	1085400	1	-	-	-
		1011048	-	1	-	-
		1011672	-	-	1	-
		1011738	-	-	-	1
F	Gasket, Combustion Blwr	1011379	1	1	1	1
H	Door, Louvered	1013334	1	1	-	-
		1013335	-	-	1	-
		1013336	-	-	-	1
J	Door, Blower	1013310	1	1	-	-
		1013311	-	-	1	-
		1013312	-	-	-	1
M	Bracket, Pilot	1010901	1	1	1	1
O	Manifold Support Bracket	1011450	2	2	2	2
R	Filter 18 ¹ / ₄ "X15 ³ / ₄ "X1"	1009750	2	2	2	2
U	Support, Control	1011178	1	1	1	1
W	Blower Housing	1013129	-	-	-	1
		1010579	1	1	-	-
		1010580	-	-	1	-
X	Blower Cutoff	721020008	-	-	1	1
		721020013	1	1	-	-
Y	Blower Hanger	33403100	2	2	2	2
AA	Clamp, Capacitor	1095020	1	1	1	1
BB	Rail, Blower Slide	33406100	2	2	2	2
EE	NOx Baffle	1009876	2	3	4	5
MM	Filter Holder	33411100	1	1	1	1
NN	Flue Pipe	613193	1	1	1	1
OO	Vent Pipe Shield	2311160	1	1	1	1
PP	Vent Shield Endplate	57083	2	2	2	2
QQ	Plate, Fill-in	1011071	1	1	-	-
		1011072	-	-	1	-
		1011073	-	-	-	1
RR	Partition, Blower	1013476	1	1	-	-
		1013474	-	-	1	-
		1013475	-	-	-	1
SS	Baffle, Burner Box	1011454	1	1	-	-
		1011455	-	-	1	-
		1011456	-	-	-	1
TT	Top, Burner Box	1011772	1	1	-	-
		1011773	-	-	1	-
		1011774	-	-	-	1
UU	Sight Glass	1011781	1	1	1	1
VV	Cover, Burner Box	1011469	1	1	-	-
		1011470	-	-	1	-
		1011471	-	-	-	1
WW	Bracket, Press Switch	1011611	1	1	1	1
XX	Tee, Plastic	1011750	1	1	1	1